

DEPARTMENT OF PEDODONTICS & PREVENTIVE DENTISTRY

Final Year BDS

Summary Report

E-Clinics


S.NO	DATE	CLINICAL DISCUSSION TOPIC	FACULTY	NO.OF STUDENTS PARTICIPATED
1.	11.05.2020	CHAIR SIDE BEHAVIOUR MANAGEMENT TECHNIQUES	DR.DIVYA.N. DR.JOE, DR.DAYA, DR.SENTHIL, DR.DEVI	08
2.	12.05.2020	PULPOTOMY	DR.DAYA SRINIVASAN DR.JOE, DR.SENTHIL, DR.DIVYA, DR.DEVI	08
3.	13.05.2020	CLASS II CAVITY PREPARATION IN PRIMARY TEETH	DR.DEVI CHANDRIKA DR.DAYA, DR.SENTHIL, DR.DIVYA	08
4.	14.05.2020	PULPECTOMY	DR.SENTHIL EAGAPPAN DR.JOE, DR.DAYA, DR.DIVYA, DR.DEVI	08
5.	15.05.2020	APEXIFICATION AND APEXOGENESIS	DR.DIVYA.N. DR.DAYA, DR.SENTHIL, DR.DEVI	06
6.	16.05.2020	STAINLESS STEEL CROWNS	DR.DEVI CHANDRIKA DR.DAYA, DR.DIVYA	05

NAME OF E-REOSURCE PLATFORM	WEBLINK	USED FOR
ZOOM 	https://zoom.us/	THEORY CLASS CLINICAL CASE DISCUSSIONS ATTENDANCE
GOOGLE FORMS  Google Forms	https://docs.google.com/forms/u/0/	ASSIGNMENTS QUIZ ASSESSMENT AND GRADING

DEPARTMENT OF PEDODONTICS & PREVENTIVE DENTISTRY

FINAL YEARS E-CLINIC

Topic : Chairside Behaviour Management Techniques
Date : 11.05.2020
Time : 11: 30 am
Faculty : Dr.Divya
instructor
Faculty attended : Dr.Joe, Dr. Daya, Dr. Senthil Eagappan, Dr.Devi
Students : Final Years Aug 19-20 – 7/7
Final Year Feb 20-21 – 1/1
Batch : Aug B1 ; Feb E1
Absentee : -
Platform : ZOOM





Divya N is inviting you to a scheduled Zoom meeting.

Topic: Chairside Behaviour Management E-Clinic
Time: May 11, 2020 11:30 AM Mumbai, Kolkata, New Delhi

Join Zoom Meeting
[https://us04web.zoom.us/j/73166757972?](https://us04web.zoom.us/j/73166757972?pwd=d1ppYTlNKMHdqVWJRMndGbkhLczVlVQTO9)
[pwd=d1ppYTlNKMHdqVWJRMndGbkhLczVlVQTO9](https://us04web.zoom.us/j/73166757972?pwd=d1ppYTlNKMHdqVWJRMndGbkhLczVlVQTO9)



Meeting ID: 731 6675 7972
Password: pedo

11:34 AM



CHAIR SIDE BEHAVIOUR MANAGEMENT TECHNIQUES


DR.DIVYA.N
PEDIATRIC AND PREVENTIVE
DENTISTRY






Chettinad
Dental College & Research Institute


ID: 731-6675-7972 Stop Share




TELL,SHOW,DO TECHNIQUE

- Ask - tell -ask
- Ask feelings on planned procedure
- TSD
- Ask gain how he/she feels about the procedure





PARENTAL PRESENCE OR ABSENCE








Indications :


Any patient

Contraindications:


Parents unable to extend effective support







Chairside Bhaviour Management Quiz Sore



DEPARTMENT OF PEDODONTICS & PREVENTIVE DENTISTRY

FINAL YEARS E-CLINIC

Topic : Pulpotomy
 Date : 12.05.2020
 Time : 11: 30 am
 Faculty : Dr.Daya Srinivasan
 instructor
 Faculty : Dr. Joe, Dr. Senthil Eagappan,
 attended Dr.Divya, Dr.Devi
 Students : Final Years Aug 19-20 –7/7
 Final Year Feb 20-21 – 1/1
 Batch : Aug B1 ; Feb E1
 Absentee : -
 Platform : ZOOM



Join our Cloud HD Video Meeting now

Zoom is the leader in modern enterprise
us04web.zoom.us


Daya Srinivasan is inviting you to a scheduled Zoom meeting.



Topic: Daya Srinivasan's Zoom Meeting
Time: May 12, 2020 11:30 AM India


Join Zoom Meeting
https://us04web.zoom.us/j/6664598002?pwd=z_NJGfjZjxt-7i38QxP9jDM514c

Meeting ID: 666 459 8002
Password: pedo

7:45 AM







Airtel 11:37 AM

Close Participants (16)

Q Search

	Divya N (me)		
	Daya Srinivasan (Host)		
	Senthil Eagappan AR		
	Ateeq Ahamed		
	Balaji's iPhone		
	Balan Edward		
	Chandhni's iPhone		
	Deepika R M		
	Devi Chandrika		

Invite

Airtel

Close Participants (16)

	Chandhni's iPhone		
	Deepika R M		
	Devi Chandrika		
	Gautham B		
	Gowtham PD		
	Harish Raghav		
	Joe		
	POOJA LAKSHMANAN		
	Ramya Rajaram		
	Rinshi Fasal		

Invite

5/13/2020		Untitled form - Google Forms	
Email		Score / 10	
candy91198@gmail.com		10	
deepikarm0701@gmail.com		10	
pdgowtham1999@gmail.com		9	
ateeqahamed429@gmail.com		10	
balansamraj1998@gmail.com		10	
gauthamb18@gmail.com		9	


Name of the participant:	
6 responses	
Chandhni S	
Deepika. R. M	
Gowtham.P.D	
Ateeq ahamed	
Balan Edward	
Gautham b	

5/13/2020

Untitled form - Google Forms


What is other name for partial pulpotomy

6 responses



pulpotomy done in a young permanent vital tooth is also called as?


6 responses



DEPARTMENT OF PEDODONTICS & PREVENTIVE DENTISTRY

FINAL YEARS E-CLINIC

Topic : Class II Cavity Preparation in Primary teeth
 Date : 13.05.2020
 Time : 11: 15 am
 Faculty : Dr.Devi
 instructor
 Faculty : Dr. Daya, Dr. Senthil Eagappan,
 attended Dr.Divya,
 Students : Final Years Aug 19-20 –7/7
 Final Year Feb 20-21 – 1/1
 Batch : Aug B1 ; Feb E1
 Absentee : -
 Platform : ZOOM





Devi Chandrika is inviting you to a scheduled Zoom meeting.

Topic: Final year E-Clinics - Class 2 cavity preparation
 Time: May 13, 2020 11:15 AM India

Join Zoom Meeting
<https://us04web.zoom.us/j/6235681702?pwd=QXJNdmsrd0RvQ3UwMW1JdmxZREtpdz09>

Meeting ID: 623 568 1702
 Password: pedo

10:37 AM



WPS Office | cavitypreparati...nversion-gate02 x + | google... | Go Premium

Types of Cavity Preparation

3 types:-

- Conventional
- Conservative
- Modified

Slide 5 / 32

You are screen sharing | Stop Share

Chettinad Dental College & Research Institute

Harish Raghav

Daya Srinivasan

Rinshi Fasal

WPS Office | cavitypreparati...nversion-gate02 x + | google... | Go Premium

Prevention, History taking, and Communication skills

- ✓ **Prevention** is the cornerstone of good management of dental caries in children
- ✓ **History taking** is fundamental to the execution of restorative care in the primary and mixed dentition.
- ✓ **Communication skills** are essential in obtaining a child's co-operation in completing treatment.

Slide 8 / 32

You are screen sharing | Stop Share

Chettinad Dental College & Research Institute


Devi Chandrika



Ateeq Ahamed




Gowtham PD

Balan Edward

Mute | Stop Video | Security | Participants | New Share | Pause Share | Annotate | Remote Control | More








DEPARTMENT OF PEDODONTICS & PREVENTIVE DENTISTRY

FINAL YEARS E-CLINIC

Topic : Pulpectomy
 Date : 14.05.2020
 Time : 12: 00 pm
 Faculty instructor : Dr. Senthil Eagappan
 Faculty attended : Dr.Joe, Dr. Daya Srinivasan, Dr.Divya, Dr.Devi
 Students : Final Years Aug 19-20 –7/7
 Final Year Feb 20-21 – 1/1
 Batch : Aug B1 ; Feb E1
 Absentee : -
 Platform : ZOOM



Senthil Eagappan AR is inviting you to a scheduled Zoom meeting.

Topic: Final year E-Clinics discussion - Pulpectomy

Time: May 14, 2020 12:00 PM Mumbai, Kolkata, New Delhi


Join Zoom Meeting

<https://us04web.zoom.us/j/8428563609?pwd=M2RpMEVFTWRmRlFvN3RkRThyYXkKZz09>

Meeting ID: 842 856 3609



Password: pedo

9:54 AM




PULPECTOMY

DR. AR. SENTHIL
DEPARTMENT OF PEDODONTICS



Indications

- Primary tooth with irreversibly inflamed pulp with not more than 1/3rd of root resorbed
- Primary tooth with abscess or sinus opening
- Traumatized anterior teeth with fracture
- Pulpless primary tooth
- Primary molars supporting orthodontic appliances



Airtel

Zoom

Leave




Chettinad
Dental College & Research Institute



1. Administration of Local anesthesia

2. Rubber Dam isolation




Unmute Start Video Share Content Participants More

Airtel

Zoom

Leave



Chettinad
Dental College & Research Institute




3. Remove the caries and identify the exposure site

4. Remove the roof of the pulp chamber





Unmute Start Video Share Content Participants More


Airtel

Zoom

Leave



Chettinad
Dental College & Research Institute





Unmute Start Video Share Content Participants More


Airtel

Zoom

Leave



Chettinad
Dental College & Research Institute









5. Remove the coronal pulp with spoon excavator




6. Remove the radicular pulp tissue




7. Debridement of canals

Unmute Start Video Share Content Participants More









06:12

← **Untitled Form**

What is pulpectomy? *

Complete removal of infected pulp from pulp chamber of primary teeth in order to gain access to root canals which are debrided, enlarged and disinfected and followed by obturation with resorbable material

Which is not a Indication of pulpectomy? *

- ☐ Tooth with irreversible pulpitis
- ☐ Abscess
- ☒ Tooth with caries penetrating the pulp chamber
- ☐ Non vital primary tooth
- ☐ Primary anterior teeth with fracture involving pulp

Which is a contraindication of pulpectomy? *

- ☐ Tooth with internal resorption

Delete Archive Move Reply More

06:12

← **Untitled Form**

Which is not a ideal requirement of the root canal filling material in primary teeth? *

- ☐ Resorbable
- ☐ Radioopaque
- ☐ biocompatible to periapical tissue
- ☒ inert

Can we use gutta percha and MTA in primary teeth as a obturation material. if yes, in which condition we can use? *

Yes, when underlying permanent successor tooth is congenitally missing

What is the chemical composition of Metapex? *

- ☐ Zinc oxide eugenol
- ☐ calcium hydroxide
- ☒ calcium hydroxide and iodoform
- ☐ camphorated parachlorophenol

Delete Archive Move Reply More

06:12

← **Untitled Form**

Which is not a ideal requirement of the root canal filling material in primary teeth? *

- ☐ Resorbable
- ☐ Radioopaque
- ☐ biocompatible to periapical tissue
- ☒ inert

Can we use gutta percha and MTA in primary teeth as a obturation material. if yes, in which condition we can use? *

Yes, when underlying permanent successor tooth is congenitally missing

What is the chemical composition of Metapex? *

- ☐ Zinc oxide eugenol
- ☐ calcium hydroxide
- ☒ calcium hydroxide and iodoform
- ☐ camphorated parachlorophenol

Delete Archive Move Reply More

06:13

← **Untitled Form**

What is the chemical composition of Metapex? *

- ☐ Zinc oxide eugenol
- ☐ calcium hydroxide
- ☒ calcium hydroxide and iodoform
- ☐ camphorated parachlorophenol

What obturating technique metapex belongs to? *

- ☐ Reamers
- ☐ Using Wet cotton
- ☒ Injectable syringes
- ☐ Endodontic pressure syringe

Respondent name *

Senthil Eagappan

[Create your own Google Form](#)

Delete Archive Move Reply More

DEPARTMENT OF PEDODONTICS & PREVENTIVE DENTISTRY

FINAL YEARS E-CLINIC

Topic : Apexification and Apexogenesis
 Date : 15.05.2020
 Time : 11: 30 am
 Faculty : Dr.Divya
 instructor
 Faculty : Dr.Daya Srinivasan,
 attended Dr. Senthil Eagappan, Dr.Devi
 Students : Final Years Aug 19-20 –5/7
 Final Year Feb 20-21 – 1/1
 Batch : Aug B1 ; Feb E1
 Absentee : B1 – Chandini, Balaji
 Platform : ZOOM

Join our Cloud HD Video Meeting now
 Zoom is the leader in modern enterprise
 us04web.zoom.us



Divya N is inviting you to a scheduled Zoom meeting.

Topic: Apexification & Apexogenesis E-Clinic
 Time: May 15, 2020 11:30 AM Mumbai, Kolkata, New Delhi

Join Zoom Meeting
<https://us04web.zoom.us/j/79766596222?pwd=VnZCOExqdVV2dHpDcmpOdUZ5bjZRUT09>

Meeting ID: 797 6659 6222
 Password: 8tK9VJ

7:21 AM ✓





Chettinad

Dental College & Research Institute




Chettinad

Dental College & Research Institute

Talking: Divya N

PRECAUTIONS WHILE RESTORING IMMATURE TOOTH?

- High risk of cervical root fractures
- Crown root ratio is not favorable because root is shorter than in a mature tooth
- So while preparing access cavity, take care not to over enlarge access cavity
- Restoring coronal-third and entire access cavity with composite resin restoration will strengthen the tooth therefore reduce risk of root fracture



Chettinad

Dental College & Research Institute

Talking: Divya N

DEFINITION

“Apexification is defined as a method to induce a calcified barrier in a root with an open apex or the continued development of an incomplete root in teeth with necrotic pulp”



You are screen sharing Stop Share

Chettinad
Dental College & Research Institute

Talking:

Dr Krishna Vyas
Micro Endodontist



Zoom Meeting 40-Minutes


Speaker View

Participants (9)

Search

- Divya N (Host, me)
- RR Ramya Rajaram
- D Daya Srinivasan
- Deepika R M
- DC Devi Chandrika
- GB Gautham B
- GP Gowtham PD
- HR Harish Raghav
- Rinshi Fasal

Mute Stop Video Security Participants Chat Share Screen Record Reactions End Invite Mute All Unmute All More



Zoom Meeting 40-Minutes

Remaining Meeting Time: 04:34 [Upgrade](#)

Speaker View

Participants (10)

Search

- Divya N (Host, me)
- Rinshi Fasal
- Ateeq ahamed
- Balan Edward
- Deepika R M
- Gautham B
- Gowtham PD
- Harish Raghav
- POOJA LAKSHMANAN
- Ramya Rajaram

Mute Stop Video Security Participants Chat Share Screen Record Reactions End Invite Mute All Unmute All More

11:33

Devi Chandrika

Gowtham PD

Deepika R M

Ramya Rajaram



11:33

Daya Srinivasan

Divya N

Harish Raghav

Rinshi Fasal





Chettinad

Dental College & Research Institute

Assignment and Learning - Non attendees

10/5/2020 <u>Pedodontics</u> S. Chandran 10 BDS Assignment 1) Differentiate between apexification and apexogenesis.	
APEXOGENESIS	APEXIFICATION
a) It is a form of 'VITAL' pulp therapy. b) RATIONALE: * Done to maintain integrity of radicular pulp to allow uninterrupted root growth. c) It is a physiologic process of redevelopment in vital infected tooth. d) Normal root-end development takes place. e) Indicated when there is reversible pulpitis due to any cause by trauma, caries.	It is a type of 'non-vital' pulp therapy. * Done to induce closure of open apical third of root canal or formation of an apical calcific barrier against which obturation can be achieved. It is to induce regenerative potential in non-vital tooth. Calcific barrier is formed clinically and radiographically. Indicated in cases where pulp has undergone irreversible pulp necrosis.


Defined as treatment of a vital pulp by capping or pulpotomy in order to permit continued growth of the root and closure of the open apex. i) Contraindicated in case of presence of necrotic pulp tissue. ii) Involves placement of medicament or restorative material only in the coronal portion of tooth. It is a form of pulpotomy. i) Does not require working length determination. ii) Periodic visit after treatment to check for apex closure.	It is defined as a method to induce development of root apex of an immature pulpless tooth by formation of overcementum / bone-like tissue. i) Contraindicated in vital pulp tissue. ii) Involves removal of necrotic radicular pulp. Canals are filled 2mm short of the root apex. i) Working length must be determined in order to navigate the canals. ii) Second visit after 6-24 months to verify apexification after which root canal treatment may be done.
---	---

Apexogenesis	Apexification
It is defined as treatment of vital pulp by capping or pulpotomy in order to permit continued growth of root & closure of open apex. It is physiological process of redevelopment of vital infected tooth. Normal or pulp tissue with minimal infection present. 1. Complete coronal pulp capping 2. In radicular portion (pulpotomy) Normal root-end development takes place.	It is defined as method to induce development of root apex of immature pulpless tooth by formation of overcementum / bone like tissue. It is method of inducing the regenerative potential in non-vital tooth. Indicated in cases where there is no normal pulp tissue i.e. where the pulp has undergone irreversible pulpal necrosis. Normal root development takes place. Only calcific barrier is formed clinically, on radiograph or both.

DEPARTMENT OF PEDODONTICS & PREVENTIVE DENTISTRY

FINAL YEARS E-CLINIC

Topic : Stainless Steel Crowns
 Date : 16.05.2020
 Time : 1: 30 pm
 Faculty instructor : Dr. Devi
 Faculty attended : Dr. Daya Srinivasan, Dr. Divya,
 Students : Final Years Aug 19-20 –5/7
 Final Year Feb 20-21 – 0/1
 Batch : Aug B1 ; Feb E1
 Absentee : B1 - Deepika, Gautam PD
 E1 - Harish
 Platform : ZOOM





Devi Chandrika is inviting you to a scheduled Zoom meeting.

Topic: Final year E- clinics
 Time: May 16, 2020 01:30 PM Mumbai, Kolkata, New Delhi

Join Zoom Meeting
<https://us04web.zoom.us/j/71235915320?pwd=VUoxUIR0d2ZRYUc2enJ3QzFvUGVjUT09>

Meeting ID: 712 3591 5320
 Password: pedo

1:19 PM



WhatsApp 1:36 PM

Zoom Leave

Types

Untrimmed crowns

- ❑ Neither trimmed
- ❑ Nor contoured
- ❑ Require lot of adaptation and are time consuming
- ❑ eg. rocky mountain

Pre-trimmed crowns

- ❑ Straight non-contoured sides
- ❑ festooned to follow a line parallel to the gingival crest
- ❑ Still require contouring and trimming
- ❑ Eg. Unitek stainless steel crown

Devi Chandrika's screen

Unmute Stop Video Share Content Participants More

Airtel 1:36 PM

Zoom Leave

Types

Untrimmed crowns

- ❑ Neither trimmed
- ❑ Nor contoured
- ❑ Require lot of adaptation and are time consuming
- ❑ eg. rocky mountain

Pre-trimmed crowns

- ❑ Straight non-contoured sides
- ❑ festooned to follow a line parallel to the gingival crest
- ❑ Still require contouring and trimming
- ❑ Eg. Unitek stainless steel crown

Devi Chandrika's screen

Unmute Start Video Share Content Participants More

Airtel 1:37 PM

Zoom Leave

Composition

According to composition stainless steel crowns are of two types

1. Stainless steel crowns (18/8)

- Austenitic type - best corrosion resistance of all.
- These crowns are available in various sizes, commonly used sizes - 3, 4, 5.
- Mostly these crowns are used in posterior teeth which undergone pulp therapy.
- 17-19% - chromium
- 10-13% - nickel
- 67% - iron
- 4% - minor elements

Devi Chandrika's screen

Unmute Start Video Share Content Participants More

Airtel 1:39 PM

Zoom Leave

Indications

- ✓ Extensive decay in primary & young permanent teeth
- ✓ For teeth deformed by developmental defects or anomalies.
- ✓ For teeth with hypoplastic defects.
- ✓ Following pulp therapy.
- ✓ As preventive restoration.
- ✓ As an abutment.
- ✓ Temporary restoration of a fractured tooth.
- ✓ In severe cases of bruxism.
- ✓ For replacing prematurely lost anterior teeth
- ✓ Single tooth crossbite.

Devi Chandrika's screen

Unmute Start Video Share Content Participants More

WPS Office | Stainlesssteelcr...Dr_DEVI 27.4.20

Menu | Home | Insert | Design | Transitions | Animation | Slide Show | Review | View | Tools | Click to find com...

Paste | Cut | Copy | Format Painter | From Current Slide | New Slide | Layout | Section | B | I | U | A | X | X | Q

Outline | Slides

11

12

13

14

Indications

- ✓ Extensive decay in primary & young permanent teeth.
- ✓ For teeth deformed by developmental defects or anomalies.
- ✓ For teeth with hypoplastic defects.
- ✓ Following pulp therapy.
- ✓ As preventive restoration.
- ✓ As an abutment.
- ✓ Temporary restoration of a fractured tooth.
- ✓ In severe cases of bruxism.
- ✓ For replacing prematurely lost anterior teeth
- ✓ Single tooth crossbite.

Click to add notes

Slide 13 / 32 | Default Design | You are screen sharing | Stop Share | 66%

Video Call Participants:

- Ramya Rajaram
- Balan Edward
- Balaji's iPhone
- Ateeq Ahamed
- Gautham B
- Chandhni's iPho...

WPS Office | Stainlesssteelcr...Dr_DEVI 27.4.20

Menu | Home | Insert | Design | Transitions | Animation | Slide Show | Review | View | Tools | Click to find com...

Paste | Cut | Copy | Format Painter | From Current Slide | New Slide | Layout | Section | B | I | U | A | X | X | Q

Outline | Slides

23

24

25

26

Radiographic confirmation of the gingival fit

Before cementation a bitewing is taken to verify proximal marginal integrity

Cementation

A zinc phosphate, polycarboxylate or GIC is preferred.

Click to add notes

Slide 26 / 32 | Default Design | Remaining Meeting Time: 06:50 | Stop Share | 66%

Video Call Participants:

- POOJA LAKSHMANAN
- Devi Chandrika
- Gautham B
- Ramya Rajaram
- Chandhni's iPho...
- Balan Edward



